

PRODUCT CONFORMITY CERTIFICATE

This is to certify that the

CEM-DAS/DAA Software

Manufactured by:

ABB AG

Stierstädter Strasse 5
60488 Frankfurt am Main
Germany

has been assessed by CSA Group
and for the conditions stated on this certificate complies with:

**Quality and Performance Standards for Environmental Data Management Software,
Environment Agency, Version 4, December 2017**

in respect of:

Part A - Generic Software Quality
Part B - Data Management General Aspects
Part C1 - CEMS data management applications - Generic Requirements
Part C2 - CEMS Data Management Applications - EN14181 Requirements

Project No.: 80115107
Certificate No: Sira MC170323/01
Initial Certification: 06 March 2017
This Certificate issued: 05 May 2022
Renewal Date: 05 March 2027



Andrew Young
Environmental Team Manager

MCERTS is operated on behalf of the Environment Agency by

CSA Group Testing UK Ltd

Unit 6, Hawarden Industrial Park
Hawarden, Deeside, CH5 3US
Tel: +44 (0)1244 670 900



0011

*The MCERTS certificate consists of this document in its entirety.
For conditions of use, please consider all the information within.
This certificate may only be reproduced in its entirety and without change
To authenticate the validity of this certificate please visit www.csagroupuk.org/mcerts*

Certificate Contents

Approved Site Application..... 2
 Basis of Certification 2
 Product Certified..... 2
 Certified Performance 3
 Description..... 4
 General Notes 5

Approved Site Application

Any potential user of the certified software should:

- 1) Ensure that it is suitable for the platform on which it will be installed (if necessary in consultation with the software producer)
- 2) Ensure that the selection and operation of the software is appropriate to the application

Basis of Certification

This certification is based on the following test report(s) and on CSA Group’s assessment and ongoing surveillance of the product and the manufacturing process:

Sira report ref: R70047743 v1.0 ABB GmbH CEM-DAS / DAA Software, dated 21 January 2017.
 Report ref. ‘249v1_ MCERTS_v4_Recertification_Audit_Report.docx’, dated 27 April 2022.

Product Certified

| Product | Version | Function | Host |
|---------|-----------|-------------------------------------|--------|
| CEMDAS | 1.4.0.exe | Data management and user interfaces | Server |
| DAA | 1.4 (000) | Data acquisition | Client |

Later minor changes to the certified version are permitted in accordance with the conditions of the standard.

Software Modifications

In the event of a major release the developer shall provide brief supporting evidence to the Certification Body who will advise whether recertification is necessary.

Certificate No: Sira MC170323/01
 This Certificate issued: 05 March 2022

*This certificate may only be reproduced in its entirety and without change
 To authenticate the validity of this certificate please visit www.csagroupuk.org/mcerts*

Certified Performance

The application is able to perform the following tasks:

- Acquires signals with a sampling rate of ≤ 5 s, without artificially limiting the number of signals
- Supports the transfer of the signals both as analog current in the range of 0 to 24 mA as well as standard digital Interfaces (Modbus - including VDI 4201 Part 3, Profibus, OPC)
- Calculates defined averages according to regulatory requirements
- Standardizes, validates, rounds and performs limit monitoring according to regulatory requirements
- Generation of event-driven messages that can be commented and automatically sent (e.g. via e-mail)
- Stores all data for an adjustable amount of time in a relational database and comes with a standardized interface allowing customized operator reporting
- Web base user interface allows direct access of current, historical and forecast data, both in the form of dynamic graphs (bar / line) and reports (pdf / csv / txt)
- The lists and protocols (daily, monthly and yearly) can be read out, either manually or automatically as pdf or txt files, or as comma-separated files for further processing with a spreadsheet software
- Automatic or manual QAL3 measurements for the zero and reference points and creation of EN14181 compliant CUSUM reports (PDF format)
- Calculation of total annual CO2 emissions according to EU regulation 601/2012
- Inspection mode to better assist QAL2 and AST related activities
- Backend architecture that fully supports live redundancy (master/backup system)

Certificate No: Sira MC170323/01
This Certificate issued: 05 March 2022

*This certificate may only be reproduced in its entirety and without change
To authenticate the validity of this certificate please visit www.csagroupuk.org/mcerts*

Description

CEM-DAS/DAA Software is a fully featured system for the continuous acquisition, storage, evaluation, monitoring and reporting of emissions data. It is designed for all applicable industry branches with the aim of providing the operators with critical information to allow both environmentally conscious and cost effective plant operation. In addition, the system is designed to be remotely serviced to minimize operational maintenance cost.

The system is both MCERTS and EN 15267 certified. It fulfils the requirements of IED 2010/75/EU as well as the standard European EN 14181 in addition to current German guidelines and other national regulatory requirements.

The system combines **DAA Software**, a distributed data acquisition and processing system, with **CEM-DAS**, a flexible central management, storage, evaluation, monitoring and reporting system. Providing the benefits of reliable local on-site data acquisition with the ease of unified central configuration management and data analysis/reporting.

The **DAA Software** is based on a robust compact modular design that offers great flexibility and scalability, allowing it to be cost effective on all applications scales, covering everything from simple single application plants to entire industrial complexes. Each **DAA Software** system performs all required calculations independently of the **CEM-DAS**, allowing each to interface with (and provide to) the operators control system all values, from raw input to fully transformed, calibrated, standardized and validated regulatory compliant measurements and forecasts. In addition to the standard analog 0-24mA current signals the **DAA Software** also fully supports a wide variety of standard digital interfaces, including Modbus, Profibus, OPC and others for both input and output. The **DAA Software** module and **CEM-DAS** interconnectivity is based on standard Ethernet networking.

The **CEM-DAS** checks incoming data against mandatory limit values and automatically initiates event based messages, emails or submits agency reports. It can also print or email daily, monthly and annual reports automatically at scheduled intervals.

The **CEM-DAS** also provides a comprehensive web based graphical user interface which allows clients straightforward access to the configuration and the resulting data, both live and historic, either as graphs, official reports (PDF/TXT), lists or file exports (CSV). Configuration revision change management and reports ensure full transparency of any configuration changes.

The flexibility of the centrally managed configuration allows the system to readily meet current and future regulatory requirements as well as operator specific requirements.

All data is stored redundantly and according to regulatory requirements. The data is archived for at least 5 years and is backed up daily. The data is also exposed through a standardized read-only database interface to allow the operator even further analysis and reporting possibilities (via PI, etc).

The **CEM-DAS** also supports a fully redundant Master/Backup operation to ensure reliable accessibility at any time. The whole system is designed to be robust and reliable yet still flexible, efficient and effective.

Certificate No: Sira MC170323/01
This Certificate issued: 05 March 2022

*This certificate may only be reproduced in its entirety and without change
To authenticate the validity of this certificate please visit www.csagroupuk.org/mcerts*

General Notes

1. This certificate is based upon the equipment tested. The Manufacturer is responsible for ensuring that on-going production complies with the standard(s) and performance criteria defined in this certificate. The manufacturer is required to maintain an approved quality management system controlling the manufacture of the certified product. Both the product and the quality management system shall be subject to regular surveillance according to 'Regulations Applicable to the Holders of CSA Group Testing UK Ltd Certificates'.
2. The design of the product certified is held and maintained by TUV Rheinland for certificate no. Sira MC170323/01.
3. If a certified product is found not to comply, CSA Group should be notified immediately at the address shown on this certificate.
4. The certification marks that can be applied to the product or used in publicity material are defined in 'Regulations Applicable to the Holders of CSA Group Testing UK Ltd Certificates'.
5. This document remains the property of CSA Group and shall be returned when requested by CSA Group.

Certificate No: Sira MC170323/01
This Certificate issued: 05 March 2022

*This certificate may only be reproduced in its entirety and without change
To authenticate the validity of this certificate please visit www.csagroupuk.org/mcerts*